



HOMOGENIZING MIXER SYMEX CML50

For efficient development and flexible small-batch production.

Ideal for the production of emulsions, gels, suspensions, creams, lotions, toothpastes and pastes.

Technical Data – CML 50

- Usable volume: 50 liters
- Permissible vessel pressure: up to 2 bar
- Permissible product temperature: up to approx. 131 °C
- Installed power: approx. 45 kW
- Design suitable for pharmaceutical and cosmetic applications

Features – CML 50

- Speed range: approx. 13 – 111 rpm
- Efficient mixing of high-viscosity products
- Prevents product build-up on vessel walls

Co-Twister homogenizer (SYMEX technology)

- Independent control of shear and pumping performance
- Combined homogenizing and pumping function
- Rotor speed: approx. 300 – 9,360 rpm
- Ideal for sensitive and complex formulations

Additional Features

- Recirculation line for external homogenization
- Hydraulically liftable lid
- Heating, cooling and vacuum operation
- CIP cleaning system
- Modern control system with touchscreen
- Overhauled condition / new seals
- Pharmaceutical design (also suitable for cosmetic applications)

Advantages

- Maximum process control through Co-Twister technology
- Gentle processing of sensitive products
- Reproducible and consistent product quality
- High flexibility for development and small-scale production
- Hygienic design and easy cleaning (CIP)
- Ideal for pharmaceutical, cosmetic and high-end applications

Utility Requirements

- Cooling water: approx. 1 m³/h at 3 bar
- Cooling water (vacuum pump): approx. 0.2 m³/h at ≥ 2 bar
- Compressed air: approx. 200 L/min at 8 bar
- Power supply: 3 × 400 V / 50 Hz, approx. 45 kVA
- Steam: 6–8 bar, approx. 45 kg/h

Availability

Fully refurbished

Inspection possible by appointment


Turnkey support including installation and commissioning



Homogenizer agitator



Homogenizer + short loop



This is a non-binding offer from SEEFRIED Verfahrenstechnik GmbH as an independent supplier. There is no business relationship with the manufacturer. All trademarks mentioned are the property of their respective owners and are used solely for the purpose of identifying the products offered. This is not an offer from the manufacturer.

SEEFRIED Verfahrenstechnik GmbH

An der Brake 45

28844 Weyhe

Germany

Tel. +49 (0) 172 9591625

Mail info@s-vt.net

Web www.s-vt.net

